arXiv:0903.3494v1 [math-ph] 20 Mar 2009

Development of the method of quaternion typification of Clifford algebra elements using k-fold commutators and anticommutators

D. S. Shirokov

March 20, 2009

Abstract

In this paper we further develop the method of quaternion typification of Clifford algebra elements suggested by the author in the previous paper. On the basis of new classification of Clifford algebra elements it is possible to find out and prove a number of new properties of Clifford algebra. We use k-fold commutators and anticommutators.

Contents

1 Main ideas of the method of quaternion typification of Clifford algebra elements 2

2 Threefold commutators and anticommutators 7

3 Formulas for quaternion types of 2-fold and 3-fold commutators and anticommutators in the cases of main quaternion types 9

4 k-fold commutators and anticommutators 12

In this paper we develop the method of quaternion typification of Clifford algebra elements. This method was suggested in [5]. On the basis of new classification of Clifford algebra elements it is possible to find out and prove a number of new properties of Clifford algebra. In our work we use k-fold commutators and anticommutators. We develop results of [5] and use results of [3] and [4].

In the first section we shortly remind basics of the method of quaternion typification of Clifford algebra elements [5].

1 Main ideas of the method of quaternion typification of Clifford algebra elements

Let p, q be nonnegative integer numbers and $p + q = n$, $n \geq 1$. Consider the real Clifford algebra $\mathcal{C}\!\ell^{\mathbb{R}}(p, q)$ or the complex Clifford algebra $\mathcal{C}\!\ell^{\mathbb{C}}(p, q)$. In the case when results are true for both cases, we write $\mathcal{C}\!\ell(p, q)$. The construction of Clifford algebra $\mathcal{C}\!\ell(p, q)$ is discussed in details in [2] or [3]. Let e be the identity element and let e^a, $a = 1, \ldots, n$ be generators of the Clifford algebra $\mathcal{C}\!\ell(p, q)$,

$$e^a e^b + e^b e^a = 2\eta^{ab} e,$$

where $\eta = ||\eta^{ab}||$ is the diagonal matrix with p pieces of $+1$ and q pieces of -1 on the diagonal. Elements

$$e^{a_1 \ldots a_k} = e^{a_1} \ldots e^{a_k}, \quad a_1 < \ldots < a_k,\ k = 1, \ldots, n,$$

together with the identity element e, form the basis of the Clifford algebra. The number of basis elements is equal to 2^n.

We denote by $\mathcal{C}\!\ell_k(p, q)$ the vector spaces that span over the basis elements $e^{a_1 \ldots a_k}$. Elements of $\mathcal{C}\!\ell_k(p, q)$ are said to be elements of rank k. We have the following classification of Clifford algebra elements based on the notion of rank:

$$\mathcal{C}\!\ell(p, q) = \oplus_{k=0}^{n} \mathcal{C}\!\ell_k(p, q). \tag{1}$$

Sometimes we denote elements of rank k by $\overset{k}{W}, \overset{k}{V}, \ldots$.

Also we have classification of Clifford algebra elements based on the notion of evenness:

$$\mathcal{C}\!\ell(p, q) = \mathcal{C}\!\ell_{even}(p, q) \oplus \mathcal{C}\!\ell_{odd}(p, q), \tag{2}$$

where

$$\mathcal{C}\!\ell_{even}(p, q) = \mathcal{C}\!\ell_0(p, q) \oplus \mathcal{C}\!\ell_2(p, q) \oplus \mathcal{C}\!\ell_4(p, q) \oplus \ldots$$

$$\mathcal{C}\!\ell_{odd}(p,q) = \mathcal{C}\!\ell_1(p,q) \oplus \mathcal{C}\!\ell_3(p,q) \oplus \mathcal{C}\!\ell_5(p,q) \oplus \ldots$$

Denote by $[U,V]$ the commutator and by $\{U,V\}$ the anticommutator of Clifford algebra elements $U,V \in \mathcal{C}\!\ell(p,q)$

$$[U,V] = UV - VU, \quad \{U,V\} = UV + VU \tag{3}$$

and note that

$$UV = \frac{1}{2}[U,V] + \frac{1}{2}\{U,V\}. \tag{4}$$

Consider the Clifford algebra as the vector space and represent it in the form of the direct sum of four subspaces:

$$\mathcal{C}\!\ell(p,q) = \mathcal{C}\!\ell_{\overline{0}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{1}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{2}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{3}}(p,q), \tag{5}$$

where

$$\begin{array}{rcl}
\mathcal{C}\!\ell_{\overline{0}}(p,q) & = & \mathcal{C}\!\ell_0(p,q) \oplus \mathcal{C}\!\ell_4(p,q) \oplus \mathcal{C}\!\ell_8(p,q) \oplus \ldots, \\
\mathcal{C}\!\ell_{\overline{1}}(p,q) & = & \mathcal{C}\!\ell_1(p,q) \oplus \mathcal{C}\!\ell_5(p,q) \oplus \mathcal{C}\!\ell_9(p,q) \oplus \ldots, \\
\mathcal{C}\!\ell_{\overline{2}}(p,q) & = & \mathcal{C}\!\ell_2(p,q) \oplus \mathcal{C}\!\ell_6(p,q) \oplus \mathcal{C}\!\ell_{10}(p,q) \oplus \ldots, \\
\mathcal{C}\!\ell_{\overline{3}}(p,q) & = & \mathcal{C}\!\ell_3(p,q) \oplus \mathcal{C}\!\ell_7(p,q) \oplus \mathcal{C}\!\ell_{11}(p,q) \oplus \ldots
\end{array}$$

and in the right hand parts there are direct sums of subspaces with dimensions differ on 4. We suppose that $\mathcal{C}\!\ell_k(p,q) = \emptyset$ for $k > p+q$.

If $\overset{\overline{k}}{U} \in \mathcal{C}\!\ell_{\overline{k}}(p,q)$, then we have

$$\overset{\overline{k}}{U} = \overset{k}{U} + \overset{k+4}{U} + \overset{k+8}{U} + \ldots, \qquad k = 0,1,2,3.$$

We use the following notations:

$$\mathcal{C}\!\ell_{\overline{kl}}(p,q) = \mathcal{C}\!\ell_{\overline{k}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{l}}(p,q), \quad 0 \le k < l \le 3.$$

$$\mathcal{C}\!\ell_{\overline{klm}}(p,q) = \mathcal{C}\!\ell_{\overline{k}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{l}}(p,q) \oplus \mathcal{C}\!\ell_{\overline{m}}(p,q), \quad 0 \le k < l < m \le 3.$$

If $\overset{\overline{kl}}{U} \in \mathcal{C}\!\ell_{\overline{kl}}(p,q)$, then

$$\overset{\overline{kl}}{U} = \overset{\overline{k}}{U} + \overset{\overline{l}}{U} = (\overset{k}{U} + \overset{l}{U}) + (\overset{k+4}{U} + \overset{l+4}{U}) + \ldots, \quad 0 \le k < l \le 3.$$

Consider elements of the Clifford algebra $\mathcal{C}\!\ell(p,q)$ from different subspaces

$$\begin{gathered}\mathcal{C}\!\ell_{\overline{0}}(p,q),\quad \mathcal{C}\!\ell_{\overline{1}}(p,q),\quad \mathcal{C}\!\ell_{\overline{2}}(p,q),\quad \mathcal{C}\!\ell_{\overline{3}}(p,q),\quad \mathcal{C}\!\ell_{\overline{01}}(p,q),\quad \mathcal{C}\!\ell_{\overline{02}}(p,q),\\ \mathcal{C}\!\ell_{\overline{03}}(p,q),\quad \mathcal{C}\!\ell_{\overline{12}}(p,q),\quad \mathcal{C}\!\ell_{\overline{13}}(p,q),\quad \mathcal{C}\!\ell_{\overline{23}}(p,q),\quad \mathcal{C}\!\ell_{\overline{012}}(p,q),\\ \mathcal{C}\!\ell_{\overline{013}}(p,q),\quad \mathcal{C}\!\ell_{\overline{023}}(p,q),\quad \mathcal{C}\!\ell_{\overline{123}}(p,q),\quad \mathcal{C}\!\ell_{\overline{0123}}(p,q)=\mathcal{C}\!\ell(p,q).\end{gathered} \tag{6}$$

Then we say that these elements have different *quaternion types* (or *types*).

Elements of subspaces $\mathcal{C}\!\ell_{\overline{0}}(p,q)$, $\mathcal{C}\!\ell_{\overline{1}}(p,q)$, $\mathcal{C}\!\ell_{\overline{2}}(p,q)$, $\mathcal{C}\!\ell_{\overline{3}}(p,q)$ are called *elements of the main quaternion types.* Elements of other types are represented in the form of sums of elements of the main quaternion types. Suppose that the zero element of the Clifford algebra $\mathcal{C}\!\ell(p,q)$ belongs to any quaternion type.

The classification of elements of the Clifford algebra $\mathcal{C}\!\ell(p,q)$ (for all integer nonnegative numbers $p+q=n$) on 15 quaternion types (see (6)) and use statements of Theorem 1 (see [5]) for calculations of quaternion types of commutators and anticommutators of Clifford algebra elements is the essence of *the method of quaternion typification of Clifford algebra elements.*

Sometimes we denote subspace $\mathcal{C}\!\ell_{\overline{k}}(p,q)$ by $\overline{\mathbf{k}}$ and any Clifford algebra element $\overset{\overline{k}}{U}\in \mathcal{C}\!\ell_{\overline{k}}(p,q)$ by $\overline{k}$. When we write "quaternion type $\overline{k}$" we mean by $\overline{k}$ a symbol of quaternion type (not an Clifford algebra element). Then $[\overline{k},\overline{l}]\subseteq\overline{\mathbf{m}}$ means that commutator of any two Clifford algebra elements of quaternion types $\overline{k}$ and $\overline{l}$ belongs to subspace $\overline{\mathbf{m}}=\mathcal{C}\!\ell_{\overline{m}}(p,q)$. And $[\overline{k},\overline{l}]=\overline{m}$ means that for any two Clifford algebra elements of quaternion types $\overline{k}$ и $\overline{l}$ there exists a Clifford algebra element of quaternion type $\overline{m}$ and it equals to commutator.

Statements of the Theorem 1 (see [5]) are equivalent to the following properties:

$$\begin{aligned}&[\overset{\overline{k}}{U},\overset{\overline{k}}{V}]=\overset{\overline{2}}{W},\qquad k=0,1,2,3;\\ &[\overset{\overline{k}}{U},\overset{\overline{2}}{V}]=\overset{\overline{k}}{W},\qquad k=0,1,2,3;\\ &[\overset{\overline{0}}{U},\overset{\overline{1}}{V}]=\overset{\overline{3}}{W},\quad [\overset{\overline{0}}{U},\overset{\overline{3}}{V}]=\overset{\overline{1}}{W},\quad [\overset{\overline{1}}{U},\overset{\overline{3}}{V}]=\overset{\overline{0}}{W}\ .\end{aligned}$$

$$
\begin{aligned}
&\{\overset{\overline{k}}{U}, \overset{\overline{k}}{V}\} = \overset{\overline{0}}{W}, \qquad k = 0,1,2,3;\\
&\{\overset{\overline{k}}{U}, \overset{\overline{0}}{V}\} = \overset{\overline{k}}{W}, \qquad k = 0,1,2,3;\\
&\{\overset{\overline{1}}{U}, \overset{\overline{2}}{V}\} = \overset{\overline{3}}{W}, \quad \{\overset{\overline{1}}{U}, \overset{\overline{3}}{V}\} = \overset{\overline{2}}{W}, \quad \{\overset{\overline{2}}{U}, \overset{\overline{3}}{V}\} = \overset{\overline{1}}{W}.
\end{aligned}
$$

Let's write down these and similar expressions in the other notation:

$$
\begin{aligned}
&[\overline{k}, \overline{k}] \subseteq \overline{\mathbf{2}}, \qquad k = 0,1,2,3;\\
&[\overline{k}, \overline{2}] \subseteq \overline{\mathbf{k}}, \qquad k = 0,1,2,3;\\
&[\overline{0}, \overline{1}] \subseteq \overline{\mathbf{3}}, \quad [\overline{0}, \overline{3}] \subseteq \overline{\mathbf{1}}, \quad [\overline{1}, \overline{3}] \subseteq \overline{\mathbf{0}},
\end{aligned}
\tag{7}
$$

$$
\begin{aligned}
&\{\overline{k}, \overline{k}\} \subseteq \overline{\mathbf{0}}, \qquad k = 0,1,2,3;\\
&\{\overline{k}, \overline{0}\} \subseteq \overline{\mathbf{k}}, \qquad k = 0,1,2,3;\\
&\{\overline{1}, \overline{2}\} \subseteq \overline{\mathbf{3}}, \quad \{\overline{1}, \overline{3}\} \subseteq \overline{\mathbf{2}}, \quad \{\overline{2}, \overline{3}\} \subseteq \overline{\mathbf{1}}.
\end{aligned}
\tag{8}
$$

The following tables display action of commutator, anticommutator and Clifford product of elements of the Clifford algebra of different quaternion types. By $\mathcal{A}$ denote the Clifford algebra $\mathcal{C}\!\ell(p,q) = \mathcal{C}\!\ell_{\overline{0123}}(p,q)$.

$[,]$	$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{01}$	$\overline{02}$	$\overline{03}$	$\overline{12}$	$\overline{13}$	$\overline{23}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$
$\overline{0}$	$\overline{2}$	$\overline{3}$	$\overline{0}$	$\overline{1}$	$\overline{23}$	$\overline{02}$	$\overline{12}$	$\overline{03}$	$\overline{13}$	$\overline{01}$	$\overline{023}$	$\overline{123}$	$\overline{012}$	$\overline{013}$	$\mathcal{A}$
$\overline{1}$	$\overline{3}$	$\overline{2}$	$\overline{1}$	$\overline{0}$	$\overline{23}$	$\overline{13}$	$\overline{03}$	$\overline{12}$	$\overline{02}$	$\overline{01}$	$\overline{123}$	$\overline{023}$	$\overline{013}$	$\overline{012}$	$\mathcal{A}$
$\overline{2}$	$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{01}$	$\overline{02}$	$\overline{03}$	$\overline{12}$	$\overline{13}$	$\overline{23}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$
$\overline{3}$	$\overline{1}$	$\overline{0}$	$\overline{3}$	$\overline{2}$	$\overline{01}$	$\overline{13}$	$\overline{12}$	$\overline{03}$	$\overline{02}$	$\overline{23}$	$\overline{013}$	$\overline{012}$	$\overline{123}$	$\overline{023}$	$\mathcal{A}$
$\overline{01}$	$\overline{23}$	$\overline{23}$	$\overline{01}$	$\overline{01}$	$\overline{23}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{01}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{02}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{03}$	$\overline{12}$	$\overline{03}$	$\overline{03}$	$\overline{12}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{12}$	$\overline{03}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{12}$	$\overline{03}$	$\overline{12}$	$\overline{12}$	$\overline{03}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{03}$	$\overline{12}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{13}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{23}$	$\overline{01}$	$\overline{01}$	$\overline{23}$	$\overline{23}$	$\overline{01}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{23}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{012}$	$\overline{023}$	$\overline{123}$	$\overline{012}$	$\overline{013}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{013}$	$\overline{123}$	$\overline{023}$	$\overline{013}$	$\overline{012}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{023}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{123}$	$\overline{013}$	$\overline{012}$	$\overline{123}$	$\overline{023}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$

$\{,\}$	$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{01}$	$\overline{02}$	$\overline{03}$	$\overline{12}$	$\overline{13}$	$\overline{23}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$
$\overline{0}$	$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{01}$	$\overline{02}$	$\overline{03}$	$\overline{12}$	$\overline{13}$	$\overline{23}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$
$\overline{1}$	$\overline{1}$	$\overline{0}$	$\overline{3}$	$\overline{2}$	$\overline{01}$	$\overline{13}$	$\overline{12}$	$\overline{03}$	$\overline{02}$	$\overline{23}$	$\overline{013}$	$\overline{012}$	$\overline{123}$	$\overline{023}$	$\mathcal{A}$
$\overline{2}$	$\overline{2}$	$\overline{3}$	$\overline{0}$	$\overline{1}$	$\overline{23}$	$\overline{02}$	$\overline{12}$	$\overline{03}$	$\overline{13}$	$\overline{01}$	$\overline{023}$	$\overline{123}$	$\overline{012}$	$\overline{013}$	$\mathcal{A}$
$\overline{3}$	$\overline{3}$	$\overline{2}$	$\overline{1}$	$\overline{0}$	$\overline{23}$	$\overline{13}$	$\overline{03}$	$\overline{12}$	$\overline{02}$	$\overline{01}$	$\overline{123}$	$\overline{023}$	$\overline{013}$	$\overline{012}$	$\mathcal{A}$
$\overline{01}$	$\overline{01}$	$\overline{01}$	$\overline{23}$	$\overline{23}$	$\overline{01}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{23}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{02}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{03}$	$\overline{03}$	$\overline{12}$	$\overline{12}$	$\overline{03}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{03}$	$\overline{12}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{12}$	$\overline{12}$	$\overline{03}$	$\overline{03}$	$\overline{12}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{12}$	$\overline{03}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{13}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{23}$	$\overline{23}$	$\overline{23}$	$\overline{01}$	$\overline{01}$	$\overline{23}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{01}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{012}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{013}$	$\overline{013}$	$\overline{012}$	$\overline{123}$	$\overline{023}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{023}$	$\overline{023}$	$\overline{123}$	$\overline{012}$	$\overline{013}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{123}$	$\overline{123}$	$\overline{023}$	$\overline{013}$	$\overline{012}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$

	$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{01}$	$\overline{02}$	$\overline{03}$	$\overline{12}$	$\overline{13}$	$\overline{23}$	$\overline{012}$	$\overline{013}$	$\overline{023}$	$\overline{123}$	$\mathcal{A}$
$\overline{0}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{1}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{2}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{3}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{01}$	$\mathcal{A}$	A	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{02}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{03}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{12}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{13}$	$\overline{13}$	$\overline{02}$	$\overline{13}$	$\overline{02}$	$\mathcal{A}$	$\overline{13}$	$\mathcal{A}$	$\mathcal{A}$	$\overline{02}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{23}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{012}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{013}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{023}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\overline{123}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$
$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$	$\mathcal{A}$

2 Threefold commutators and anticommutators

Let's define *threefold commutator* and *threefold anticommutator* of three elements U, V, W of Clifford algebra $\mathcal{C}\!\ell(p,q)$:

$$\begin{aligned} [U,V,W] &= UVW - WVU, \\ \{U,V,W\} &= UVW + WVU. \end{aligned} \tag{9}$$

Using (3), we get

$$\begin{aligned} [[U,V],W] &= UVW - VUW - WUV + WVU = \{U,V,W\} - \{V,U,W\}, \\ \{\{U,V\},W\} &= UVW + VUW + WUV + WVU = \{U,V,W\} + \{V,U,W\}, \\ \{[U,V],W\} &= UVW - VUW + WUV - WVU = [U,V,W] - [V,U,W], \\ [\{U,V\},W] &= UVW + VUW - WUV - WVU = [U,V,W] + [V,U,W], \end{aligned}$$

$$\begin{aligned} [U,V,W] &= \frac{1}{2}(\{[U,V],W\} + [\{U,V\},W]), \\ \{U,V,W\} &= \frac{1}{2}([[U,V],W] + \{\{U,V\},W\}), \\ UVW &= \frac{1}{4}([[U,V],W] + \{\{U,V\},W\} + [\{U,V\},W] + \{[U,V],W\}) = \\ &= \frac{1}{2}([U,V,W] + \{U,V,W\}). \end{aligned} \tag{10}$$

Theorem 1. *a) For elements $U, V, W \in \mathcal{C}\!\ell(p,q)$ of the given quaternion types $\overline{k}, \overline{l}, \overline{m}$ (from the set $\overline{0}, \overline{1}, \overline{2}, \overline{3}, \overline{01}, \ldots, \overline{0123}$) the following elements*

$$[[\overset{\overline{k}}{U}, \overset{\overline{l}}{V}], \overset{\overline{m}}{W}], \quad \{\{\overset{\overline{k}}{U}, \overset{\overline{l}}{V}\}, \overset{\overline{m}}{W}\}, \quad \{\overset{\overline{k}}{U}, \overset{\overline{l}}{V}, \overset{\overline{m}}{W}\} \tag{11}$$

have the same quaternion type $\overline{r}$ (from the set $\overline{0}, \overline{1}, \overline{2}, \overline{3}, \overline{01}, \ldots, \overline{0123}$), i.e. in the other notation we have

$$[[\overline{k}, \overline{l}], \overline{m}], \{\{\overline{k}, \overline{l}\}, \overline{m}\}, \{\overline{k}, \overline{l}, \overline{m}\} \subseteq \overline{\mathbf{r}}. \tag{12}$$

Besides, quaternion type does not depend on transposition of $\overset{\overline{k}}{U}, \overset{\overline{l}}{V}, \overset{\overline{m}}{W}$ in (11)(or $\overline{k}, \overline{l}, \overline{m}$ in (12)).

b) For elements $U,V,W\in C\ell(p,q)$ *of the given quaternion types* $\overline{k},\overline{l},\overline{m}$ *(from the set* $\overline{0},\overline{1},\overline{2},\overline{3},\overline{01},\ldots,\overline{0123}$*) the following elements*

$$\{[\overset{\overline{k}}{U},\overset{\overline{l}}{V}],\overset{\overline{m}}{W}\},\quad [\{\overset{\overline{k}}{U},\overset{\overline{l}}{V}\},\overset{\overline{m}}{W}],\quad [\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}] \tag{13}$$

have the same quaternion type $\overline{r}$ *(from the set* $\overline{0},\overline{1},\overline{2},\overline{3},\overline{01},\ldots,\overline{0123}$*), i.e.*

$$\{[\overline{k},\overline{l}],\overline{m}\},[\{\overline{k},\overline{l}\},\overline{m}],[\overline{k},\overline{l},\overline{m}]\subseteq \overline{\mathbf{r}}. \tag{14}$$

Besides, quaternion type does not depend on transposition of $\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}$ *in (13)(or* $\overline{k},\overline{l},\overline{m}$ *in (14)).*

Proof. Using (7), (8) and considering all variants we get that the following expressions

$$[[\overset{\overline{k}}{U},\overset{\overline{l}}{V}],\overset{\overline{m}}{W}] \quad\text{and}\quad \{\{\overset{\overline{k}}{U},\overset{\overline{l}}{V}\},\overset{\overline{m}}{W}\},\quad \{[\overset{\overline{k}}{U},\overset{\overline{l}}{V}],\overset{\overline{m}}{W}\} \quad\text{and}\quad [\{\overset{\overline{k}}{U},\overset{\overline{l}}{V}\},\overset{\overline{m}}{W}]$$

have the same quaternion type. Further we use (10).■

Remark. Taking into account the theorem statements, we often speak about quaternion types of only two elements

$$\{\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}\},\quad [\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}],$$

meaning thus as well other four elements considered in the theorem. Besides, let's arrange that quaternion types k,l,m - ordered multiindices of length from 0 to 4, because quaternion type does not depend on transposition $\overset{\overline{k}}{U},\overset{\overline{l}}{V}$ $,\overset{\overline{m}}{W}$ in the considered threefold commutators and anticommutators.

Let's write down quaternion types of considered expressions in the case of the main quaternion types:

$\overline{k}$	$\overline{l}$	$\overline{m}$	$\{\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}\}$	$[\overset{\overline{k}}{U},\overset{\overline{l}}{V},\overset{\overline{m}}{W}]$	$\overset{\overline{k}}{U}\overset{\overline{l}}{V}\overset{\overline{m}}{W}$
$\overline{0}$	$\overline{0}$	$\overline{0}$	$\overline{0}$	$\overline{2}$	$\overline{02}$
$\overline{0}$	$\overline{0}$	$\overline{1}$	$\overline{1}$	$\overline{3}$	$\overline{13}$
$\overline{0}$	$\overline{0}$	$\overline{2}$	$\overline{2}$	$\overline{0}$	$\overline{02}$
$\overline{0}$	$\overline{0}$	$\overline{3}$	$\overline{3}$	$\overline{1}$	$\overline{13}$
$\overline{0}$	$\overline{1}$	$\overline{1}$	$\overline{0}$	$\overline{2}$	$\overline{02}$
$\overline{0}$	$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{1}$	$\overline{13}$
$\overline{0}$	$\overline{1}$	$\overline{3}$	$\overline{2}$	$\overline{0}$	$\overline{02}$
$\overline{0}$	$\overline{2}$	$\overline{2}$	$\overline{0}$	$\overline{2}$	$\overline{02}$
$\overline{0}$	$\overline{2}$	$\overline{3}$	$\overline{1}$	$\overline{3}$	$\overline{13}$
$\overline{0}$	$\overline{3}$	$\overline{3}$	$\overline{0}$	$\overline{2}$	$\overline{02}$
$\overline{1}$	$\overline{1}$	$\overline{1}$	$\overline{1}$	$\overline{3}$	$\overline{13}$
$\overline{1}$	$\overline{1}$	$\overline{2}$	$\overline{2}$	$\overline{0}$	$\overline{02}$
$\overline{1}$	$\overline{1}$	$\overline{3}$	$\overline{3}$	$\overline{1}$	$\overline{13}$
$\overline{1}$	$\overline{2}$	$\overline{2}$	$\overline{1}$	$\overline{3}$	$\overline{13}$
$\overline{1}$	$\overline{2}$	$\overline{3}$	$\overline{0}$	$\overline{2}$	$\overline{02}$
$\overline{1}$	$\overline{3}$	$\overline{3}$	$\overline{1}$	$\overline{3}$	$\overline{13}$
$\overline{2}$	$\overline{2}$	$\overline{2}$	$\overline{2}$	$\overline{0}$	$\overline{02}$
$\overline{2}$	$\overline{2}$	$\overline{3}$	$\overline{3}$	$\overline{1}$	$\overline{13}$
$\overline{2}$	$\overline{3}$	$\overline{3}$	$\overline{2}$	$\overline{0}$	$\overline{02}$
$\overline{3}$	$\overline{3}$	$\overline{3}$	$\overline{3}$	$\overline{1}$	$\overline{13}$

3 Formulas for quaternion types of 2-fold and 3-fold commutators and anticommutators in the cases of main quaternion types

Statements of Theorem 1 can be written down more compactly in the form of the following formulas, where $\overline{k},\overline{l},\overline{m}$ - main quaternion types:

$$[\overline{k},\overline{l},\overline{m}] = \begin{cases} \overline{(k+l+m)\operatorname{mod}4}, & \text{if number of odd indices among} \\ & k,\ l \text{ and } m \text{ greater than number of even indices;} \\ \overline{(k+l+m+2)\operatorname{mod}4}, & \text{if number of even indices among} \\ & k,\ l \text{ and } m \text{ greater than number of odd indices.} \end{cases}$$

$$\{\overline{k},\overline{l},\overline{m}\} = \begin{cases} \overline{(k+l+m)\bmod 4}, & \text{if number of odd indices among} \\ & k,\ l \text{ and } m \text{ greater than number of even indices ;} \\ & \\ \overline{(k+l+m+2)\bmod 4}, & \text{if number of even indices among} \\ & k,\ l \text{ and } m \text{ greater than number of odd indices.} \end{cases}$$

$$\overset{\overline{k}}{U}\overset{\overline{l}}{V}\overset{\overline{m}}{W}\subseteq \begin{cases} \overline{\mathbf{02}}, & \text{if } k+l+m \text{ - even;} \\ \overline{\mathbf{13}}, & \text{if } k+l+m \text{ - odd.} \end{cases}$$

or

$$\begin{aligned} [\overline{k},\overline{l},\overline{m}] &= \overline{(k+l+m+1+(-1)^{kl+km+lm})\bmod 4}, \\ \{\overline{k},\overline{l},\overline{m}\} &= \overline{(k+l+m+1-(-1)^{kl+km+lm})\bmod 4}. \end{aligned} \tag{15}$$

Let's notice that we have similar formulas for 2-fold commutators and anticommutators:

$$\{\overline{k},\overline{l}\} = \begin{cases} \overline{(k+l+2)\bmod 4}, & \text{if } k \text{ and } l \text{ are odd ;} \\ \overline{(k+l)\bmod 4}, & \text{other cases .} \end{cases}$$

$$[\overline{k},\overline{l}] = \begin{cases} \overline{(k+l)\bmod 4}, & \text{if } k \text{ and } l \text{ are odd;} \\ \overline{(k+l+2)\bmod 4}, & \text{other cases.} \end{cases}$$

$$\overset{\overline{k}}{U}\overset{\overline{l}}{V}\subseteq \begin{cases} \overline{\mathbf{02}}, & \text{if } k+l \text{ - even;} \\ \overline{\mathbf{13}}, & \text{if } k+l \text{ - odd.} \end{cases}$$

or

$$\begin{aligned} [\overline{k},\overline{l}] &= \overline{(k+l+1+(-1)^{kl})\bmod 4}, \\ \{\overline{k},\overline{l}\} &= \overline{(k+l+1-(-1)^{kl})\bmod 4}. \end{aligned} \tag{16}$$

Below we give generalization of these formulas on k-fold commutators and k-fold anticommutators.

Further it will be not always convenient to use formulas (15) and (16). Therefore, let us consider operations *sharp* $\sharp$, *flat* $\flat$ and *natural* $\natural$ with the following properties:

$$\begin{array}{llll} (\overline{0})_\sharp = \overline{2}, & (\overline{1})_\sharp = \overline{3}, & (\overline{2})_\sharp = \overline{0}, & (\overline{3})_\sharp = \overline{1}, \\ (\overline{0})_\flat = \overline{1}, & (\overline{1})_\flat = \overline{0}, & (\overline{2})_\flat = \overline{3}, & (\overline{3})_\flat = \overline{2}, \\ (\overline{0})_\natural = \overline{3}, & (\overline{1})_\natural = \overline{2}, & (\overline{2})_\natural = \overline{1}, & (\overline{3})_\natural = \overline{0}, \end{array} \tag{17}$$

Note that

$$\begin{aligned}
&(\overline{k}_\sharp)_\sharp = \overline{k}, \quad (\overline{k}_\flat)_\flat = \overline{k}, \quad (\overline{k}_\natural)_\natural = \overline{k},\\
&\overline{k}_\sharp = \overline{(k+2)\bmod 4}, \quad \overline{k}_\flat = \overline{(k_\natural+2)\bmod 4},\\
&\overline{k}_\flat = \overline{(k+(-1)^k)\bmod 4} = \overline{(k+2-(-1)^k)\bmod 4},\\
&\overline{k}_\natural = \overline{(k-(-1)^k)\bmod 4} = \overline{(k+2+(-1)^k)\bmod 4}.
\end{aligned}$$

By Theorem 1 and by these formulas, it follows that

$$\exists \overline{\mathbf{r}} : [[\overline{k},\overline{l}],\overline{m}]_\sharp, \{\{\overline{k},\overline{l}\},\overline{m}\}_\sharp, \{\overline{k},\overline{l},\overline{m}\}_\sharp, \{[\overline{k},\overline{l}],\overline{m}\}, [\{\overline{k},\overline{l}\},\overline{m}], [\overline{k},\overline{l},\overline{m}] \subseteq \overline{\mathbf{r}}.$$

Let us consider trivial (identity) operation I with the property $(\overline{k})_I = \overline{k}$. Then the following properties for operations $I, \sharp, \flat, \natural$ are fulfilled:

$$\begin{aligned}
I\circ I &= \sharp\circ\sharp = \flat\circ\flat = \natural\circ\natural = I,\\
I\circ\sharp &= \sharp\circ I = \flat\circ\natural = \natural\circ\flat = \sharp,\\
I\circ\flat &= \flat\circ I = \sharp\circ\natural = \natural\circ\sharp = \flat,\\
I\circ\natural &= \natural\circ I = \sharp\circ\flat = \flat\circ\sharp = \natural.
\end{aligned} \tag{18}$$

These properties are similar to the properties of quaternions with respect to the operation of composition $\circ$.

Consider 3-fold commutators and anticommutators with 2 given main quaternion types. Then we have:

$$\begin{aligned}
&\{\overline{0},\overline{0},\overline{k}\}, \quad \{\overline{1},\overline{1},\overline{k}\}, \ \{\overline{2},\overline{2},\ \overline{k}\}, \ \{\overline{3},\overline{3},\overline{k}\} \subseteq \overline{\mathbf{k}},\\
&\{\overline{0},\overline{2},\overline{k}\}, \quad \{\overline{1},\overline{3},\overline{k}\} \subseteq \overline{\mathbf{k}}_\sharp,\\
&\{\overline{0},\overline{1},\overline{k}\}, \quad \{\overline{2},\overline{3},\overline{k}\} \subseteq \overline{\mathbf{k}}_\flat,\\
&\{\overline{0},\overline{3},\overline{k}\}, \quad \{\overline{1},\overline{2},\overline{k}\} \subseteq \overline{\mathbf{k}}_\natural,
\end{aligned} \tag{19}$$

$$\begin{aligned}
&[\overline{0},\overline{2},\overline{k}], \quad [\overline{1},\overline{3},\overline{k}] \subseteq \overline{\mathbf{k}},\\
&[\overline{0},\overline{0},\overline{k}], \quad [\overline{1},\overline{1},\overline{k}], \ [\overline{2},\overline{2},\overline{k}], \ [\overline{3},\overline{3},\overline{k}] \subseteq \overline{\mathbf{k}}_\sharp,\\
&[\overline{0},\overline{3},\overline{k}], \quad [\overline{1},\overline{2},\overline{k}] \subseteq \overline{\mathbf{k}}_\flat,\\
&[\overline{0},\overline{1},\overline{k}], \quad [\overline{2},\overline{3},\overline{k}] \subseteq \overline{\mathbf{k}}_\natural.
\end{aligned} \tag{20}$$

For 2-fold commutators and anticommutators we have the following formulas:

$$\begin{aligned}
\{\overline{k},\overline{k}\} \quad &\subseteq \overline{\mathbf{0}}, \quad \{\overline{k},\overline{0}\} \subseteq \overline{\mathbf{k}},\\
\{\overline{k},\overline{2}\} \quad &\subseteq \overline{\mathbf{k}}_\sharp, \quad \{\overline{k},\overline{1}\} \subseteq \overline{\mathbf{k}}_\flat, \quad \{\overline{k},\overline{3}\} \subseteq \overline{\mathbf{k}}_\natural,
\end{aligned} \tag{21}$$

$$\begin{aligned} [\overline{k},\overline{k}] &\subseteq \overline{\mathbf{2}}, \quad [\overline{k},\overline{2}] \subseteq \overline{\mathbf{k}}, \\ [\overline{k},\overline{0}] &\subseteq \overline{\mathbf{k}}_\sharp, \quad [\overline{k},\overline{3}] \subseteq \overline{\mathbf{k}}_\flat, \quad [\overline{k},\overline{1}] \subseteq \overline{\mathbf{k}}_\natural. \end{aligned} \tag{22}$$

So, for the main quaternion types we have:

$$\{\overline{l},\overline{l},\overline{k}\},\ [\overline{0},\overline{2},\overline{k}],\ [\overline{1},\overline{3},\overline{k}] \subseteq \overline{\mathbf{k}},$$

$$[\overline{l},\overline{l},\overline{k}],\ \{\overline{0},\overline{2},\overline{k}\},\ \{\overline{1},\overline{3},\overline{k}\} \subseteq \overline{\mathbf{k}}_\sharp.$$

4 k-fold commutators and anticommutators

Let us give definitions for *k-fold commutator* and *k-fold anticommutator* of k elements $U_1, U_2, \ldots, U_k$ of Clifford algebra $\mathcal{C}\!\ell(p,q)$:

$$[U_1, U_2, \ldots, U_k] = U_1U_2\ldots U_k - U_k\ldots U_2U_1; \tag{23}$$

$$\{U_1, U_2, \ldots, U_k\} = U_1U_2\ldots U_k + U_k\ldots U_2U_1. \tag{24}$$

Then

$$U_1U_2\ldots U_k = \frac{1}{2}([U_1, U_2, \ldots, U_k] + \{U_1, U_2, \ldots, U_k\}). \tag{25}$$

Theorem 2. *For elements $U_1, U_2, \ldots, U_k \in \mathcal{C}\!\ell(p,q)$ the following formulas are fulfilled:*

$$U_1U_2\ldots U_k = \frac{1}{2^{k-1}}\sum_{j=1}^{2^{k-1}} d_j^{k-1}, \tag{26}$$

$$[U_1, U_2, \ldots, U_k] = \frac{1}{2^{k-2}}\sum_{j=1}^{2^{k-2}} d_j^{k-1^+}, \tag{27}$$

$$\{U_1, U_2, \ldots, U_k\} = \frac{1}{2^{k-2}}\sum_{j=1}^{2^{k-2}} d_j^{k-1^-}, \tag{28}$$

where d_j^{k-1} (j from 1 to 2^{k-1}) - all possible expressions of the form

$$\underbrace{(\ldots((}_{k-1}U_1, U_2), U_3), \ldots, U_k),$$

where bracket "(" is "[" or "{", $d_j^{k-1^+}$ - expressions d_j^{k-1}, where we have odd number of commutators, $d_j^{k-1^-}$ - expressions d_j^{k-1}, where we have even number of commutators.

For Clifford algebra elements $U_1, U_2, \ldots, U_k$ of given main quaternion types $\overline{a_1}, \overline{a_2}, \ldots, \overline{a_k}$ all expressions $d_j^{k-1^+}$ have the same quaternion type. This type is a type (by (27)) of expression $[U_1, U_2, \ldots, U_k]$ and equals

$$[\overline{a_1}, \overline{a_2}, \ldots, \overline{a_k}] = \overline{(a_1 + a_2 + \ldots + a_k + 1 + (-1)^{\sum_{i<j}^{k} a_i a_j}) \bmod 4}. \qquad (29)$$

For Clifford algebra elements $U_1, U_2, \ldots U_k$ of given main quaternion types $\overline{a_1}, \overline{a_2}, \ldots, \overline{a_k}$ all expressions $d_j^{k-1^-}$ have the same quaternion type. This type is a type (by (28)) of expression $\{U_1, U_2, \ldots, U_k\}$ and equals

$$\{\overline{a_1}, \overline{a_2}, \ldots, \overline{a_k}\} = \overline{(a_1 + a_2 + \ldots + a_k + 1 - (-1)^{\sum_{i<j}^{k} a_i a_j}) \bmod 4}. \qquad (30)$$

For Clifford algebra elements $U_1, U_2, \ldots, U_k$ of given main quaternion types $\overline{a_1}, \overline{a_2}, \ldots, \overline{a_k}$ the following formula is fulfilled:

$$\overset{\overline{a_1}}{U_1}\overset{\overline{a_2}}{U_2}\ldots\overset{\overline{a_k}}{U_k} \subseteq \begin{cases} \overline{\boldsymbol{02}}, & \text{if } \sum_{j=1}^{k} a_j \text{ - even;} \\ \overline{\boldsymbol{13}}, & \text{if } \sum_{j=1}^{k} a_j \text{ - odd.} \end{cases} \qquad (31)$$

Proof. We use the method of mathematical induction. Formula (10) is a partial case of formulas (26), (27), (28) in case $k = 3$. Suppose that formulas (26), (27), (28) are valid for $k > 3$. Let us prove the validity of these formulas for $k + 1$:

$$U_1 U_2 \ldots U_k U_{k+1} = \frac{1}{2^{k-1}}(\sum_{j=1}^{2^{k-1}} d_j^{k-1}) U_{k+1} =$$

$$= \frac{1}{2^{k-1}}(\frac{1}{2}[\sum_{j=1}^{2^{k-1}} d_j^{k-1}, U_{k+1}] + \frac{1}{2}\{\sum_{j=1}^{2^{k-1}} d_j^{k-1}, U_{k+1}\}) = \frac{1}{2^k}(\sum_{j=1}^{2^k} d_j^k).$$

The validity of formulas (27), (28) for $k + 1$ follows from

$$\begin{aligned} [U_1, U_2, \ldots, U_{k+1}] &= \frac{1}{2}\{[U_1, U_2, \ldots, U_k], U_{k+1}\} + \frac{1}{2}[\{U_1, U_2, \ldots, U_k\}, U_{k+1}], \\ \{U_1, U_2, \ldots, U_{k+1}\} &= \frac{1}{2}[[U_1, U_2, \ldots, U_k], U_{k+1}] + \frac{1}{2}\{\{U_1, U_2, \ldots, U_k\}, U_{k+1}\}. \end{aligned}$$

Let us prove that all expressions $d_j^{k-1^+}$ have quaternion type

$$\overline{(a_1 + a_2 + \ldots + a_k + 1 + (-1)^{\sum_{i<j}^{k} a_i a_j})\bmod 4}.$$

This proves (29). Suppose that it is valid for $d_j^{k-1^+}$. Consider $d_j^{k^+}$. This expression will be $d_j^{k^+} = \{d_j^{k-1^+}, U_{k+1}\}$ or $d_j^{k^+} = [d_j^{k-1^-}, U_{k+1}]$. Let us calculate quaternion types of these 2 expressions using corresponding expressions for $k = 2$:

$$\overline{\{(\sum_{l=1}^{k} a_l + 1 + (-1)^{\sum_{i<j}^{k} a_i a_j})\bmod 4}, \overline{a_{k+1}}\} =$$

$$= \overline{(\sum_{l=1}^{k} a_l + 1 + (-1)^{\sum_{i<j} a_i a_j} + a_{k+1} + 1 - (-1)^{a_{k+1}(\sum_{l=1}^{k} a_l + 1 + (-1)^{\sum_{i<j}^{k} a_i a_j})})\bmod 4} =$$

$$= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{\sum_{i<j}^{k} a_i a_j} + 1 - (-1)^{a_{k+1}\sum_{l=1}^{k} a_l + 2a_{k+1}})\bmod 4} =$$

$$= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{a_{k+1}\sum_{l=1}^{k} a_l}(-1 + (1 + (-1)^{\sum_{i<j}^{k} a_i a_j})(-1)^{a_{k+1}\sum_{l=1}^{k} a_l}))\bmod 4} =$$

$$= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{a_{k+1}\sum_{l=1}^{k} a_l}(-1 + (1 + (-1)^{\sum_{i<j}^{k} a_i a_j})))\bmod 4} =$$

$$= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{\sum_{i<j}^{k+1} a_i a_j}))\bmod 4};$$

$$
\begin{aligned}
&[\overline{(\sum_{l=1}^{k} a_l + 1 - (-1)^{\sum_{i<j}^{k} a_i a_j})\bmod 4}, \overline{a_{k+1}}] = \\
&= \overline{(\sum_{l=1}^{k} a_l + 1 - (-1)^{\sum_{i<j} a_i a_j} + a_{k+1} + 1 + (-1)^{a_{k+1}(\sum_{l=1}^{k} a_l + 1 - (-1)^{\sum_{i<j}^{k} a_i a_j})})\bmod 4} = \\
&= \overline{(\sum_{l=1}^{k+1} a_l + 1 - (-1)^{\sum_{i<j}^{k} a_i a_j} + 1 + (-1)^{a_{k+1}\sum_{l=1}^{k} a_l + 2a_{k+1}})\bmod 4} = \\
&= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{a_{k+1}\sum_{l=1}^{k} a_l}(1 + (1 - (-1)^{\sum_{i<j}^{k} a_i a_j})(-1)^{a_{k+1}\sum_{l=1}^{k} a_l}))\bmod 4} = \\
&= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{a_{k+1}\sum_{l=1}^{k} a_l}(1 + (1 - (-1)^{\sum_{i<j}^{k} a_i a_j})))\bmod 4} = \\
&= \overline{(\sum_{l=1}^{k+1} a_l + 1 + (-1)^{\sum_{i<j}^{k+1} a_i a_j}))\bmod 4}.
\end{aligned}
$$

The proof of (30) is analogous. Using (29), (30) and (25), we get (31). ■

Let's write down the statement of Theorem 2 for $k = 4$ (A, B, C, D - elements of Clifford algebra $\mathcal{C}\ell(p,q)$):

$$
\begin{aligned}
ABCD &= \frac{1}{8}([[[A,B],C],D] + [\{\{A,B\},C\},D] + [[\{A,B\},C],D] + \\
&+[\{[A,B],C\},D] + \{[[A,B],C],D\} + \{\{\{A,B\},C\},D\} + \\
&+\{[\{A,B,\},C],D\} + \{\{[A,B],C\},D\}).
\end{aligned}
$$

$$
\begin{aligned}
[A,B,C,D] &= \frac{1}{4}([[[A,B],C],D] + [\{\{A,B\},C\},D] + \\
&+\{[\{A,B,\},C],D\} + \{\{[A,B],C\},D\}).
\end{aligned}
$$

$$
\begin{aligned}
\{A,B,C,D\} &= \frac{1}{4}([[\{A,B\},C],D] + [\{[A,B],C\},D] + \\
&+\{[[A,B],C],D\} + \{\{\{A,B\},C\},D\}.
\end{aligned}
$$

$$[\overline{a},\overline{b},\overline{c},\overline{d}] = \overline{(a+b+c+d+1+(-1)^{ab+ac+ad+bc+bd+cd})\bmod 4}.$$

$$\{\overline{a},\overline{b},\overline{c},\overline{d}\} = \overline{(a+b+c+d+1-(-1)^{ab+ac+ad+bc+bd+cd})\bmod 4}.$$

$$\overset{\overline{a}}{A}\overset{\overline{b}}{B}\overset{\overline{c}}{C}\overset{\overline{d}}{D}=\begin{cases}\overset{\overline{02}}{W}, & \text{if } a+b+c+d \text{ - even;}\\ \overset{\overline{13}}{W}, & \text{if } a+b+c+d \text{ - odd.}\end{cases}$$

Remark. Formula (31) displays quaternion type of product of any number of Clifford algebra elements. Note that this formula doesn't present anything new since it follows from lemma [1]:

$$\overset{k}{U}\overset{l}{V}=\overset{k-l}{W}+\overset{k-l+2}{W}+\ldots+\overset{k+l}{W},\quad \text{where } \overset{m}{W}=0 \quad \text{for} \quad m>n \quad \text{or} \quad m<0.$$

Consider two Clifford algebra elements U, V of the given quaternion types $\overline{k}, \overline{l}$ respectively. Statement $\overset{\overline{l}}{V}\overset{\overline{k}}{U}\overset{\overline{l}}{V}\overset{\overline{k}}{U}\subseteq \overline{\mathbf{02}}$ is clear without method of quaternion typification. But for similar expression we have

$$\overset{\overline{k}}{U}\overset{\overline{l}}{V}\overset{\overline{l}}{V}\overset{\overline{k}}{U}\subseteq \overline{\mathbf{0}}.$$

It so, because $UVVU=\frac{1}{2}([U,V,V,U]+\{U,V,V,U\})=\frac{1}{2}\{U,V,V,U\}$ and quaternion type of this expression is $\overline{\mathbf{0}}$ (see(30)).

So, now we are able to calculate quaternion type of product $U_1U_2\ldots U_k$ of any number of Clifford algebra elements. We can use formula (31). But in some cases it's more sensible to calculate at first quaternion type of k-fold commutator $[U_1, U_2, \ldots, U_k]$ and k-fold anticommutator $\{U_1, U_2, \ldots, U_k\}$, and then take into account (25).

Conclusion. The method of quaternion typification in his primary form [5] allowed us to find quaternion type of commutators and anticommutators of Clifford algebra elements with given quaternion types. In this paper we have improved the method. Now we know quaternion type of all expressions

$$[U_1, U_2, \ldots, U_k]=U_1U_2\ldots U_k-U_k\ldots U_2U_1,$$

$$\{U_1, U_2, \ldots, U_k\}=U_1U_2\ldots U_k+U_k\ldots U_2U_1,$$

and

$$U_1U_2\ldots U_k$$

where $k>1$ - integer number.

Acknowledgements. The author is grateful to N. G. Marchuk for the constant attention to this work.

References

[1] D.Hestenes, G.Sobczyk, *Clifford Algebra to Geometric Calculus - A Unified Language for Mathematical Physics*, Reidel Publishing Company (1984)

[2] Lounesto P., *Clifford Algebras and Spinors*, Cambridge Univ. Press (1997, 2001).

[3] Marchuk N.G., Shirokov D.S. *Unitary spaces on Clifford algebras*, Advances in Applied Clifford Algebras, (2008).

[4] Shirokov D.S. *A classification of Lie algebras of pseudounitary groups in the techniques of Clifford algebras*, arXiv:0705.3368v1 [math-ph], (2007).

[5] Shirokov D.S., *A method of quaternion typification of Clifford algebra elements*, arXiv:0806.4299 [math-ph], (2008).